


ALUMINIUM PROFILE

BATTEN LUMINAIRES / LED FLEX


- Aluminium profile for LED flex, length up to 2 meters
- Associate with divisible LED flex, see configurations below
- LED width max 8 mm
- For IP20 LED flex
- Aluminium profile
- Diffusers: Clear (DC) or opal (DO) made of polycarbonate



Colour(s)



Dimensions



Accessories

End cap



Fixing clip



ALUMINIUM PROFILE




Colour(s)



BATTEN LUMINAIRES / LED FLEX


- Aluminium profile for LED flex, length up to 2 meters
- Associate with divisible LED flex, see configurations below
- LED width max 10 mm
- For IP20 LED flex
- Aluminium profile
- Diffusers: Clear (DC) or opal (DO) made of polycarbonate

Dimensions



Accessories

End cap



Fixing clip



- LED FLEX maximum 2500 lumens
- CRI of 80 et 90
- MacAdam Ellipse : 3 SDCM
- Up to 50 000 hours lamp life
- Luminous efficiency of system up to 164 lm/W
- Available in 2700 K, 3 000 K, 4 000 K et 6 500 K
- Static heat sink




Standards

Class II | IP 20 | 650°

Beam(s)



Dimensions



Colour(s)



ITEM	CONSUMPTION	LUMINOUS FLUX	SYSTEM EFFICIENCY	COLOUR TEMPERATURE	CRI	CUTTING INTERVAL (CM)
RUBAN LED FLEX LED-600-827	4,1W/m	600 lumens	146 lm/W	2700 K	80	10
RUBAN LED FLEX LED-600-830	3,9W/m	600 lumens	154 lm/W	3000 K	80	10
RUBAN LED FLEX LED-600-840	3,7W/m	600 lumens	162 lm/W	4000 K	80	10
RUBAN LED FLEX LED-600-865	3,7W/m	600 lumens	162 lm/W	6500 K	80	10
RUBAN LED FLEX LED-1200-827	8,1W/m	1200 lumens	148 lm/W	2700 K	80	10
RUBAN LED FLEX LED-1200-830	7,7W/m	1200 lumens	156 lm/W	3000 K	80	10
RUBAN LED FLEX LED-1200-840	7,3W/m	1200 lumens	164 lm/W	4000 K	80	10
RUBAN LED FLEX LED-1200-865	7,3W/m	1200 lumens	164 lm/W	6500 K	80	10
RUBAN LED FLEX LED-1800-827	12,4W/m	1800 lumens	145 lm/W	2700 K	80	10
RUBAN LED FLEX LED-1800-830	11,5W/m	1800 lumens	157 lm/W	3000 K	80	10
RUBAN LED FLEX LED-1800-840	11W/m	1800 lumens	164 lm/W	4000 K	80	10
RUBAN LED FLEX LED-1800-865	11W/m	1800 lumens	164 lm/W	6500 K	80	10
RUBAN LED FLEX LED-2500-827	17,4W/m	2500 lumens	144 lm/W	2700 K	80	10
RUBAN LED FLEX LED-2500-830	16,5W/m	2500 lumens	152 lm/W	3000 K	80	10
RUBAN LED FLEX LED-2500-840	15,6W/m	2500 lumens	160 lm/W	4000 K	80	10
RUBAN LED FLEX LED-2500-865	15,6W/m	2500 lumens	160 lm/W	6500 K	80	10
RUBAN LED FLEX LED-600-927	5,6W/m	600 lumens	107 lm/W	2700 K	90	5
RUBAN LED FLEX LED-600-930	5,6W/m	600 lumens	107 lm/W	3000 K	90	5
RUBAN LED FLEX LED-600-940	5,1W/m	600 lumens	118 lm/W	4000 K	90	5
RUBAN LED FLEX LED-600-965	5,1W/m	600 lumens	118 lm/W	6500 K	90	5
RUBAN LED FLEX LED-1200-927	10,4W/m	1200 lumens	115 lm/W	2700 K	90	5
RUBAN LED FLEX LED-1200-930	10,4W/m	1200 lumens	115 lm/W	3000 K	90	5
RUBAN LED FLEX LED-1200-940	9,5W/m	1200 lumens	126 lm/W	4000 K	90	5
RUBAN LED FLEX LED-1200-965	9,5W/m	1200 lumens	126 lm/W	6500 K	90	5
RUBAN LED FLEX LED-1800-927	15,5W/m	1800 lumens	116 lm/W	2700 K	90	5
RUBAN LED FLEX LED-1800-930	15,5W/m	1800 lumens	116 lm/W	3000 K	90	5
RUBAN LED FLEX LED-1800-940	14,5W/m	1800 lumens	124 lm/W	4000 K	90	5
RUBAN LED FLEX LED-1800-965	14,5W/m	1800 lumens	124 lm/W	6500 K	90	5
RUBAN LED FLEX LED-2500-927	22W/m	2500 lumens	114 lm/W	2700 K	90	5
RUBAN LED FLEX LED-2500-930	20,8W/m	2500 lumens	120 lm/W	3000 K	90	5
RUBAN LED FLEX LED-2500-940	20,8W/m	2500 lumens	120 lm/W	4000 K	90	5
RUBAN LED FLEX LED-2500-965	20,8W/m	2500 lumens	120 lm/W	6500 K	90	5